

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RENOLIT HLT 2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating grease

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier **FUCHS LUBRIFIANT FRANCE**

> 1, rue Lavoisier 92000 Nanterre

France

+33 (0) 1 41 37 42 00 Telephone: Fax: +33 (0) 1 41 37 42 99

Contact for request of safety data sheets

E-mail: Automotive lubricants info-auto-fr@fuchs.com info-industrie-fr@fuchs.com

Industrial lubricants

Telephone: +33 (0) 1 41 37 42 00 +33 (0) 1 41 37 42 99 Fax:

Informing department for safety data sheets

E-mail: info.fds@fuchs.com Telephone: +33 (0) 1 41 37 42 00 Fax: +33 (0) 1 41 37 42 99

1.4 Emergency telephone number: +33 (0)1 45 42 59 59 (ORFILA)

SECTION 2: Hazards identification

Issue Date: 30.10.2013 Version: 3.6 Revision Date: 02.02.2023

Print date: 05.09.2023 SDS_GB - EN - CP1003132



Product name: RENOLIT HLT 2

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation GB-CLP.

Classification according to GB-CLP.

Health Hazards

Skin irritation Category 2 H315: Causes skin irritation.

Serious eye irritation Category 2 H319: Causes serious eye irritation.

Environmental Hazards

Chronic hazards to the aquatic Category 3 H412: Harmful to aquatic life with long lasting

environment effects.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H315: Causes skin irritation.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

> hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the envi-

ronment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Lubricating grease: Thickener system and additives in synthetic base oil.

Issue Date: 30.10.2013 Revision Date: 02.02.2023

Version: 3.6 Print date: 05.09.2023 SDS_GB - EN - CP1003132



Product name: RENOLIT HLT 2

Chemical name	Identifier	Concentration *	UK-REACH Regis- tration No.	Notes
Heterocyclic N-compound	EINECS: 202-414-9	1,00% - <2,50%		
phenolic antioxidant	EINECS: 204-881-4	0,25% - <1,00%		
Amine aromatic , alkylated	EINECS: 270-128-1	0,10% - <1,00%		

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification

Chemical name	Identifier	Classification		
Heterocyclic N-compound	EINECS: 202-414-9	GBCLP: Skin Corr. 1C;H314, Eye Dam. 1;H318, STOT RI 2;H373, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Acute Tox. 4;H302; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 1		
phenolic antioxidant	EINECS: 204-881-4	GBCLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410; M-Factor (aquatic acute): 1; M-Factor (aquatic chronic): 1		
Amine aromatic , alkylated	EINECS: 270-128-1	GBCLP: Repr. 2;H361f, Aquatic Chronic 3;H412		

GB-CLP

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while remov-

ing contaminated clothing and shoes. Wash contaminated clothing before

reuse. Get medical attention.

Ingestion: Rinse mouth. Call a POISON CENTER or doctor/ physician if you feel un-

well.

4.2 Most important symptoms

and effects, both acute and

delayed:

Causes serious eye irritation. Causes skin irritation.

4.3 Indication of any immediate medical attention and spe-

cial treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

Issue Date: 30.10.2013 Revision Date: 02.02.2023

Version: 3.6 Print date: 05.09.2023 SDS_GB - EN - CP1003132

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: RENOLIT HLT 2

5.1 Extinguishing media

Suitable extinguishing me-

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

ed

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mix-

ture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

6.2 Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe

to do so.

6.3 Methods and material for containment and cleaning

up:

Scrape up spillage or absorb with absorbing material. Dispose of the material collected according to regulations. Stop the flow of material, if this is

without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on dis-

posal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Avoid contact with eyes. Wash hands thoroughly after handling. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Avoid contact with

7.2 Conditions for safe storage, including any incompatibiliLocal regulations concerning handling and storage of waterpolluting products have to be followed.

ties:

Issue Date: 30.10.2013 Revision Date: 02.02.2023

SDS_GB - EN - CP1003132

Version: 3.6 Print date: 05.09.2023



Product name: RENOLIT HLT 2

7.3 Specific end use(s): Not applicable

Storage Class: 11, Combustible solids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling. Avoid contact with

eyes. Avoid contact with skin and eyes. Goggles/face shield are recom-

mended. If risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Respiratory Protection: Not relevant, due to the form of the product.

Thermal hazards: Not known.

Issue Date: 30.10.2013 Revision Date: 02.02.2023 Print date: 05.09.2023

SDS_GB - EN - CP1003132



Product name: RENOLIT HLT 2

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: solid
Form: Paste
Color: Light brown
Odor: Characteristic

pH: substance/mixture is non-soluble (in water)

Drop Point:180 °C (IP 396)Boiling Point:Not applicableFlash Point:Not applicable

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): not determined

Flammability Limit - Upper (%)—: Not applicable for mixtures
Flammability Limit - Lower (%)—: Not applicable for mixtures
Vapor pressure: Not applicable for mixtures
Relative vapor density: Not applicable for mixtures

Density: 0,84 g/ml (25 °C)

Solubility(ies)

Solubility in Water: Insoluble in water
Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: not determined Decomposition Temperature: not determined

NLGI: 2

Explosive properties:

Oxidizing properties:

Value not relevant for classification

Value not relevant for classification

Value not relevant for classification

Study technically not feasible

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous Stable under normal use conditions.

reactions:

Issue Date: 30.10.2013
Revision Date: 02.02.2023
Version: 3.6
Print date: 05.09.2023

SDS_GB - EN - CP1003132



Product name: RENOLIT HLT 2

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition Thermal decomposition or combustion may liberate carbon oxides and oth-

Products: er toxic gases or vapors.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: Causes skin irritation.

Eye contact: Causes eye irritation.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: ATEmix: 63.250 mg/kg

Specified substance(s)

Heterocyclic N-compound LD 50 (Rat): 1.265 mg/kg (OECD 401)

phenolic antioxidant LD 50 (Rat): > 2.930 mg/kg (OECD 401)

Amine aromatic, alkylat-

ed

LD 50 (Rat): > 5.000 mg/kg (OECD 401)

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

phenolic antioxidant LD 50 (Rat): > 5.000 mg/kg (OECD 402)

Inhalation

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are met.

Specified substance(s)

Heterocyclic N-compound OECD 404 (Rabbit):

Corrosive.

Issue Date: 30.10.2013 Revision Date: 02.02.2023 Print date: 05.09.2023 SDS_GB - EN - CP1003132



Product name: RENOLIT HLT 2

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are met.

Specified substance(s)

Heterocyclic N-compound OECD 405 (Rabbit):

Corrosive.

Amine aromatic, alkylat-OECD 405 (Rabbit):

Not irritant.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Heterocyclic N-compound

No sensitizing effect (guinea pig); OECD 406

phenolic antioxidant

No sensitizing effect (guinea pig); OECD 406

Amine aromatic, alkylat-

ed No sensitizing effect (guinea pig); OECD 406

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

Issue Date: 30.10.2013 Revision Date: 02.02.2023

SDS_GB - EN - CP1003132

Version: 3.6 Print date: 05.09.2023



Product name: RENOLIT HLT 2

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Heterocyclic N-compound LC 50 (Fish, 96 h): 0,3 mg/l (OECD 203)

Amine aromatic, alkylat- LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

ed

Aquatic Invertebrates Specified substance(s)

Heterocyclic N-compound EC 50 (Water Flea, 48 h): 0,136 mg/l (OECD 202)

phenolic antioxidant EC 50 (Water Flea, 48 h): 0,61 mg/l (OECD 202)

Amine aromatic, alkylat-

ed

EC 50 (Daphnia magna): 51 mg/l (OECD 202)

Chronic Toxicity

Product: Based on available data, the classification criteria are met.

Aquatic Invertebrates Specified substance(s)

phenolic antioxidant NOEC (Water Flea, 21 d): > 0,39 mg/l

Toxicity to Aquatic Plants Specified substance(s)

Heterocyclic N-compound EC 50 (Alga, 72 h): 0,03 mg/l (OECD 201)

NOEC (Alga, 72 h): 0,11 mg/l

Amine aromatic, alkylat- EC 50 (72 h): > 100 mg/l (OECD 201)

ed

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

Heterocyclic N-compound (OECD 301B) The product is not biodegradable.

phenolic antioxidant 30 % (OECD 302C) Not readily degradable.

Amine aromatic, alkylat-

ed

Not readily degradable.

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

Issue Date: 30.10.2013 Revision Date: 02.02.2023

Print date: 05.09.2023 SDS_GB - EN - CP1003132

9/12



Product name: RENOLIT HLT 2

Specified substance(s)

phenolic antioxidant May be accumulated in organism

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: Harmful to aquatic life with long lasting effects.

Water Hazard Class

(WGK):

WGK 2: significantly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

List of Waste (LoW) Codes

12 01 12*: spent waxes and fats

SECTION 14: Transport information

ADR/RID

14.1 UN number or ID number:

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s):

Hazard No. (ADR): –
Tunnel restriction code: –

14.4 Packing Group: -

14.5 Environmental hazards:

14.6 Special precautions for user:

Issue Date: 30.10.2013
Revision Date: 02.02.2023

Version: 3.6

Print date: 05.09.2023 SDS_GB - EN - CP1003132



Product name: RENOLIT HLT 2

ı	N	ИΓ	٦,	2

14.1 UN number or ID number:

14.2 UN Proper Shipping Name:

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): – EmS No.: –

14.3 Packing Group: –
14.5 Environmental hazards: –

14.6 Special precautions for user:

IATA

14.1 UN number or ID number: –
14.2 Proper Shipping Name: –

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group:

14.5 Environmental hazards: –
14.6 Special precautions for user: –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:

none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020:

none

15.2 Chemical safety as-

No Chemical Safety Assessment has been carried out.

sessment:

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Issue Date: 30.10.2013 Revision Date: 02.02.2023 Print date: 05.09.2023

SDS_GB - EN - CP1003132

ion Date: 02.02.2023 Version: 3.6



Product name: RENOLIT HLT 2

Wording of the H-statements in section 2 and 3

J	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated expo-
	sure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Other information: The classification complies with the current GB lists; however, it has been

supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data: Calculation Method: Bridging Principle "Substantially simi-

lar mixtures"; Expert Judgement

Revision Date: 02.02.2023

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no sig-

nature.

Issue Date: 30.10.2013 Revision Date: 02.02.2023 Print date: 05.09.2023 SDS_GB - EN - CP1003132