according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Klüberplex BEM 34-131 N

Article-No. : 017181

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Grease

Substance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München GmbH & Co. KG

Geisenhausenerstr. 7 81379 München Deutschland

Tel.: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333

info@klueber.com

E-mail address of person

responsible for the SDS

mcm@klueber.com

National contact : Klüber Lubrication France S.A.S.

Z.I. des Auréats, 10 à 16 Allée Ducretet

26014 Valence Cedex

France

+33-4-75448426 Fax: +33-4-75449336 KLF.contact@fr.klueber.com

1.4 Emergency telephone number

Emergency telephone

0033 (0)1 45 42 59 59

number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024



2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

!>

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P272 Contaminated work clothing should not be

allowed out of the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Hazardous components which must be listed on the label:

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR $\,$



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

Mineral oil.

special calcium soap

polyurea

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
reaction product of diphenylmethanediiso cyanate, octylamine and oleylamine (molar ratio1:1.86:0.14)	430-930-6 01-0000017717-62- 0001 01-0000017717-62- 0000 01-0000017717-62- 0002	Aquatic Chronic4; H413		>= 2,5 - < 10
Molybdenum, bis(dibutylcarbamodith ioato)di-µ-oxodioxodi-, sulfurized	68412-26-0 270-180-5 01-2120764792-44- XXXX	Aquatic Chronic4; H413		>= 1 - < 2,5
4-ethyl-2-(8- heptadecenyl)-2- oxazoline-4-methanol	68140-98-7 268-820-3 01-2120795751-43- XXXX	Skin Sens.1A; H317 Aquatic Chronic3; H412		>= 1 - < 2,5
1,3,4-Thiadiazolidine- 2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol	939-692-2 01-2119983498-16- XXXX	Aquatic Chronic3; H412		>= 1 - < 2,5

For explanation of abbreviations see section 16.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion

products

: Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Ensure adequate ventilation. Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
reaction product of diphenylmethanediiso cyanate, octylamine and oleylamine (molar ratio1:1.86:0.14)	Workers	Inhalation	Long-term systemic effects	29,4 mg/m3



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR $\,$



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

	Workers	Skin contact	Long-term systemic effects	83,3 mg/kg bw/day
Molybdenum, bis(dibutylcarbamodit hioato)di-µ- oxodioxodi-, sulfurized	Workers	Skin contact	Long-term systemic effects	14 mg/kg
	Workers	Inhalation	Long-term systemic effects	49,3 mg/m3
bis(4-(1,1,3,3- tetramethylbutyl)phen yl)amine	Workers	Inhalation	Long-term systemic effects	49,3 mg/m3
	Workers	Dermal	Long-term systemic effects	14 mg/kg bw/day
1,3,4-Thiadiazolidine- 2,5-dithione, reaction products with hydrogen peroxide and tert- dodecanethiol	Workers	Inhalation		4,408 mg/m3
	Workers	Dermal		6,25 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
reaction product of	Fresh water	0,1 mg/l
diphenylmethanediisocyanate,		
octylamine and oleylamine		
(molar ratio1:1.86:0.14)		
	Marine water	0,01 mg/l
Molybdenum,	Fresh water	0,1 mg/l
bis(dibutylcarbamodithioato)di-µ-		
oxodioxodi-, sulfurized		
	Marine water	0,01 mg/l
1,3,4-Thiadiazolidine-2,5-	Fresh water	0,041 mg/l
dithione, reaction products with		
hydrogen peroxide and tert-		
dodecanethiol		
	Marine water	0,0041 mg/l
	Fresh water sediment	380,62 mg/kg
	Marine sediment	38,06 mg/kg
	Sewage treatment plant	8000 mg/l
	Soil	308,98 mg/kg

8.2 Exposure controls

Engineering measures

none



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,90 (20 °C)

Reference substance: Water The value is calculated

Density : 0,90 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

Explosives : Not explosive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

Method: Directive 67/548/EEC, Annex V, B.1.

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 420

GLP: yes

Assessment: The substance or mixture has no acute oral

toxicity

Acute inhalation toxicity : LC50 (Rat): > 34,4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The substance or mixture has no acute oral

toxicity

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Species : Rabbit

Assessment : No skin irritation



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Assessment : No skin irritation

Method : OECD Test Guideline 439

Result : No skin irritation

GLP : yes

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Species : human skin
Assessment : No skin irritation
Result : No skin irritation

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-

dodecanethiol:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar

ratio1:1.86:0.14):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Assessment : No eye irritation Result : No eye irritation



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol:

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Species : Mouse

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 429

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Assessment : The product is a skin sensitiser, sub-category 1A. Result : The product is a skin sensitiser, sub-category 1A.

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

Genotoxicity in vivo : Remarks: No data available

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar

ratio1:1.86:0.14):

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Germ cell mutagenicity: Tests on bacterial or mammalian cell cultures did not show

Assessment mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal : Remarks: No data available

development

Components:

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Reproductive toxicity - : - Fertility -

Assessment No toxicity to reproduction

STOT - single exposure

Product:

Remarks : No data available

STOT - repeated exposure

Product:

Remarks : No data available

Repeated dose toxicity

Product:

Remarks : This information is not available.

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

Aspiration toxicity

Product:

This information is not available.

Components:

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar

ratio1:1.86:0.14):

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: yes

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: semi-static test

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 69,17 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 65,6 mg/l

Exposure time: 72 h

Test Type: static test



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

Method: OECD Test Guideline 201

GLP: yes

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1.000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 41 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 100

ma/

Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 8.000 mg/l

Exposure time: 16 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Biodegradability : Test Type: Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 10 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301

GLP: yes

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Biodegradability : Result: Not rapidly biodegradable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

Biodegradation: 34,73 %

Method: OECD Test Guideline 301B

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol:

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 0 % Exposure time: 28 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

reaction product of diphenylmethanediisocyanate, octylamine and oleylamine (molar ratio1:1.86:0.14):

Partition coefficient: n-

octanol/water

log Pow: > 6

Molybdenum, bis(dibutylcarbamodithioato)di-µ-oxodioxodi-, sulfurized:

Partition coefficient: n-

octanol/water

: log Pow: 6,24 - 7,28

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Partition coefficient: n-

octanol/water

: log Pow: 3,42 (20 °C)

1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-dodecanethiol:

Bioaccumulation

: Bioconcentration factor (BCF): 3,16

Partition coefficient: n-

octanol/water

log Pow: 8

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

4-ethyl-2-(8-heptadecenyl)-2-oxazoline-4-methanol:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

: No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Waste codes should be assigned by the user based on the

application for which the product was used.

The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

Waste Code : used product, unused product

12 01 12**, spent waxes and fats

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 2.0 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances.

mixtures and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

(EC 1005/2009)

Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

(EU POP)

: Not applicable

Regulation (EU) No 649/2012 of the European

Parliament and the Council concerning the export and

import of dangerous chemicals

(EU PIC)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

: Not applicable



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Date of last issue: 07.12.2023 Version Revision Date: Print Date: Date of first issue: 19.06.2015 25.04.2024 2.0 25.04.2024

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable

explosives precursors

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Installations classified for the : protection of the environment

(Environment Code R511-9)

36, 15, 15 bis, 34, 49, 49 bis

Not applicable

Occupational Illnesses (R-461-3, France)

The product has no CMR properties category 1, 1A or 1B

supervision (R4624-23)

Reinforced medical

Directive 2010/75/EU of 24 November 2010 on industrial Volatile organic compounds

> emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 1,52 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Klüberplex BEM 34-131 N

Version Revision Date: Date of last issue: 07.12.2023 Print Date: 25.04.2024 Date of first issue: 19.06.2015 25.04.2024

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Skin Sens. 1

H317

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR $\,$



Klüberplex BEM 34-131 N

VersionRevision Date:Date of last issue: 07.12.2023Print Date:2.025.04.2024Date of first issue: 19.06.201525.04.2024

relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.